

Page 1/10 Printing date: 18.04.2024

according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-Contact Marker

SECTION 1: Identification of the substance/mixture and of the company/undertaking

" 2

Product identifier 1.1. Product form: Product name: UFI:

Mixture Contact Marker

- Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses: Manufacturing of dental prosthesis in dental laboratories Uses advised against: Do not use outside of the dental laboratory.
- 1.3. Details of the supplier of the safety data sheet Manufacturer/Supplier: al dente Dentalprodukte GmbH Street / mailbox: Borsigstr. 1 Country code / postal code / city: D - 38644 Goslar Phone: 0 53 21 / 80031 Fax: 0 53 21 / 50881 E-mail / Website: info@aldente.de / www.aldente.de Information department: al dente Dentalprodukte GmbH
- 1.4. **Emergency telephone number** al dente Dentalprodukte GmbH:

+49 (0) 53 21 / 80031 (Mo-Fr 8:00-16:00)

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, Category 2, H225 Serious eye damage/eye irritation, Category 2, H319 Full text of H statements: see section 16. Adverse physicochemical, human health and environmental effects Highly flammable liquid and vapour. Causes serious eye irritation.
- 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP):

Signal word (CLP): Hazard statements (CLP):

Precautionary statements (CLP):



Danger

H225 - Highly flammable liquid and vapour H319 - Causes serious eye irritation P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P280 - Wear protective gloves, protective clothing, eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P403+P235 - Store in a well-ventilated place. Keep cool

2.3. Other hazards Results of PBT and vPvB assessment



Page 2/10 Printing date: 18.04.2024

according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-**Contact Marker**

PBT:	Not applicable
vPvB:	Not applicable

SECTION 3: Composition/information on ingredients Not applicable

3.1. Substances:

3.2. Mixtures

(CAS no) 64-17-5	Ethanol	65 - 85 %
(EC no) 200-578-6	Flam. Liq. 2, H225	
(REACH no) 01-2119457610-43-xxxx	Eye Irrit. 2, H319	
	(C ≥ 50 %) Eye Irrit. 2, H319	

×

SECTION 4: First aid measures

4.1.	Description of first aid measures			
	First-aid measures general:	Call a doctor if you feel unwell. If possible show him this sheet. Failing this, show him the packaging or label. Never give anything by mouth to an unconscious person. Place the affected person in the recovery position.		
	First-aid measures after inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.		
	First-aid measures after skin contact:	Take off contaminated clothing. Wash with plenty of soap and water.		
	First-aid measures after eye contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
	First-aid measures after ingestion:	Rinse mouth. Drink water as a precaution. Do NOT induce vomiting.		
4.2.	. Most important symptoms and effects, both acute and delayed			
	Symptoms/injuries after eye contact:	Causes serious eye irritation.		
	Other symptoms/injuries:	Dizziness. Drowsiness. Nausea. Vomiting. Loss of consciousness.		
4.3.	Indication of any immediate medical attention and special treatment needed:	Treat symptomatically.		
SECT	ION 5: Firefighting measures			
5.1.	Extinguishing media Suitable extinguishing media:	Dry extinguishing powder. Foam. Water spray.		
	Unsuitable extinguishing media:	Do not use a heavy water stream.		
5.2.	Special hazards arising from the substand Fire hazard:	ce or mixture Highly flammable liquid and vapour.		
	Explosion hazard:	May form flammable/explosive vapour-air mixture.		

case of fire:

Advice for firefighters Firefighting instructions:

5.3.

C 1

Dore



according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-**Contact Marker** Hazardous decomposition products in

Toxic fumes may be released. Carbon monoxide. Carbon dioxide. Use water spray or fog for cooling exposed containers. Do not dispose of fire-fighting water in the environment. **Protection during firefighting:** Use a self-contained breathing apparatus and also a protective suit. **SECTION 6: Accidental release measures** nal precautions protective quinment and emergency procedures

1

6.1.			
	General measures:	Provide adequate ventilation. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Stop leak if safe to do so. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapour/aerosol.	
	For non-emergency personnel Emergency procedures:	Evacuate unnecessary personnel.	
	For emergency responders Protective equipment:	Wear personal protective equipment. Use self-contained breathing apparatus.	
6.2.	Environmental precautions:	Prevent entry to sewers and public waters.	
6.3.	Methods and material for containment and cleaning up:	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Dispose of in accordance with relevant local regulations.	
6.4.	Reference to other sections:	Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.	
SEC	FION 7: Handling and storage		
7.1.	Precautions for safe handling Additional hazards when processed:	Handle empty containers with care because residual vapours are flammable.	
	Precautions for safe handling:	Provide good ventilation in process area to prevent formation of vapour. Remove ignition sources. No open flames. No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Wear personal protective clothing. Do not breathe vapour/aerosol. Avoid contact with skin and eyes.	
	Information on fire and explosion protection:	May form flammable/explosive vapour-air mixture.	
	Hygiene measures:	Handle in accordance with good industrial hygiene and safety procedures. When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off contaminated clothing and wash it before reuse.	



Page 4/10 Printing date: 18.04.2024

according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-Contact Marker

Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities
 Requirements for storage rooms and containers
 Technical measures:

 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting equipment.

 Storage conditions:

 Store in original container. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Protect from sunlight. Keep in fireproof place. Store locked up. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Prohibitions on mixed storage:

- Keep away from food, drink and animal feedingstuffs.
- 7.3. Specific end use(s):

8.1.

No additional information available

SECTION 8: Exposure controls/personal protection

Control param	neters		
Components with critical values that require monitoring at the workplace:			
Ethanol (64-17	7-5)		
Ireland	Local name	Ethanol	
Ireland	OEL (15 min ref) (ppm)	1000 ppm	

Ethanol (64-17-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	380 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	114 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.96 mg/l
PNEC aqua (marine water)	0.79 mg/l
PNEC aqua (intermittent, freshwater)	2.75 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.6 mg/kg dwt
PNEC sediment (marine water)	2.9 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.63 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	0.38 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	580 mg/l

8.2. Exposure controls Appropriate engineering controls:

Personal protective equipment Eye protection: Provide local exhaust or general room ventilation to minimize vapour concentrations.

Wear safety glasses (EN 166).

Hand protection:

Wear suitable gloves (EN 374). Butyl rubber, \geq 0.7 mm. The exact breakthrough time has to be found out by the



Page 5/10 Printing date: 18.04.2024

according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-Contact Marker

 manufacturer of the protective gloves and has to be observed.

 Penetration time (min.): ≥ 480 min

 Skin and body protection:
 Wear suitable protective clothing. Flame retardant antistatic protective clothing.

 Respiratory protection:
 Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type A.

 Environmental exposure controls:
 Avoid release to the environment.

1

SECTION 9: Physical and chemical properties

	to how so provide and chemical properties		
9.1.	· ····································		
	Physical state:	Liquid	
	Colour:	blue	
	Odour:	No data available	
	Melting point/Freezing point:	- 114,5°C	
	Boiling point or initial boiling point and	78°C	
	boiling range:		
	Flammability:	Highly flammable liquid and vapour	
	Lower and upper explosion limit:	15,0 Vol% // 3,4 Vol%	
	Flash point:	13°C	
	Auto-ignition temperature:	No data available	
	Decomposition temperature:	No data available	
	pH:	No data available	
	Kinematic viscosity:	No data available	
	Solubility:	No data available	
	Partition coefficient n-octanol/water (log	Not applicable	
	value):		
	Vapour pressure:	59 hPa bei 20 °C	
	Density and/or relative density:	No data available	
	Relative vapour density:	No data available	
	Particle characteristics:	Not applicable	
9.2.	Other information		
	Explosive properties:	May form flammable/explosive vapour-air mixture	
	Oxidising properties:	No oxidising properties	
SECT	FION 10: Stability and reactivity		
	Reactivity:	Highly flammable liquid and vapour. May form	
10.1.	Reactivity.	flammable/explosive vapour-air mixture.	
10 2	Chemical stability:	Stable under use and storage conditions as recommended in	
10.2.	onemical stability.	section 7.	
10.3.	Possibility of hazardous reactions:	No dangerous reactions known under normal conditions of	
10.01		USE.	
10.4	Conditions to avoid:	Avoid contact with hot surfaces. Heat. No flames, no sparks.	
		Eliminate all sources of ignition.	
10.5.	Incompatible materials:	Strong oxidizing agents. Strong acids. Strong bases.	



Page 6/10 Printing date: 18.04.2024

according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-Contact Marker

10.6. Hazardous decomposition products:

No hazardous decomposition products known. In case of fire: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

1

1.1.	Information on hazard classes as defined	
	Acute toxicity:	Not classified
		Based on available data, the classification criteria are not met
	Ethanol (64-17-5)	
	LD50 oral rat:	10470 mg/kg
	LC50 inhalation rat:	124.7 mg/l/4h
	Skin corrosion/irritation:	Not classified Based on available data, the classification criteria are not met
	Serious eye damage/irritation:	Causes serious eye irritation
	Respiratory or skin sensitisation:	Not classified Based on available data, the classification criteria are not met
	Germ cell mutagenicity:	Not classified Based on available data, the classification criteria are not met
	Carcinogenicity:	Not classified Based on available data, the classification criteria are not met
	Specific target organ toxicity (single exposure):	Not classified Based on available data, the classification criteria are not met
	Specific target organ toxicity (repeated exposure):	Not classified Based on available data, the classification criteria are not met
	Aspiration hazard:	Not classified Based on available data, the classification criteria are not met
1.2.	Information on other hazards Potential adverse human health effects and symptoms:	Based on available data, the classification criteria are not met
EC	ΓΙΟΝ 12: Ecological information	
2.1.	Toxicity	
	Acute aquatic toxicity:	Not classified
	Chronic aquatic toxicity:	Not classified
	Ecology - general advice:	Avoid release to the environment. Prevent entry to sewers an
	Ethanol (64-17-5)	public waters.
	LC50 fish:	14200 mg/l 96 h, Pimephales promelas
	EC50 daphnia:	5012 mg/l 48 h, Ceriodaphnia dubia
	EC50 algae: NOEC fish:	275 mg/l 72 h, Chlorella vulgaris 250 mg/l 120 h, Danio rerio

12.2. Persistence and degradability

Persistence and degradability:	Readily biodegradable.	



Page 7/10 Printing date: 18.04.2024

×

according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-Contact Marker

	Biodegradation:	84 %, 20 d
12.3.	Bioaccumulative potential Ethanol (64-17-5)	
	Log Pow:	-0.35 (20 °C)
12.4.	Mobility in soil:	No additional information available
12.5.	Results of PBT and vPvB assessment PBT: vPvB:	Not applicable Not applicable
12.6.	Endocrine disrupting properties:	No additional information available
12.7.	Other adverse effects:	No additional information available
	ION 13: Disposal considerations	
13.1.	Waste treatment methods Regional legislation (waste):	Dispose in a safe manner in accordance with local/national regulations. The product is to be classified as hazardous waste (waste paints).
	Waste disposal recommendations:	Treat contaminated packaging like the product itself.
	Waste code - used product:	The waste code number according to the Ordinance on the European Waste Catalogue (AVV) depends on the waste producer and can therefore vary for any given product. The waste code number is therefore to be gleaned separately from each waste producer.
	Additional information:	Handle empty containers with care because residual vapours are flammable. Depending on the use. Do not perforate, cut or weld uncleaned containers.
SECT	ION 14: Transport information	
14.1.	UN number or ID number UN-No. (ADR): UN-No. (IMDG): UN-No. (IATA):	UN 1170 UN 1170 UN 1170
14.2.	UN proper shipping name Proper Shipping Name (ADR): Proper Shipping Name (IMDG): Proper Shipping Name (IATA): Transport document description (ADR): Transport document description (IMDG):	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Ethanol solution UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E) UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL
		SOLUTION), 3, II
	Transport document description (IATA):	UN 1170 Ethanol solution, 3, III
14.3.	Transport hazard class(es) ADR Transport hazard class(es) (ADR): Danger labels (ADR):	3 3

IMDG

according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-**Contact Marker**



Printing date: 18.04.2024



Ш

Ш

Ш

1170

D/E

ΙΑΤΑ Transport hazard class(es) (IATA): Danger labels (IATA):

Transport hazard class(es) (IMDG):

Danger labels (IMDG):

- 14.4. Packing group Packing group (ADR): Packing group (IMDG): Packing group (IATA):
- 14.5. Environmental hazards Dangerous for the environment: Marine pollutant: Other information:

14.6. Special precautions for user **Overland transport** Classification code (ADR): F1 Special provisions (ADR): Limited quantities (ADR): 11 **Excepted quantities (ADR):** E2 Packing instructions (ADR): Mixed packing provisions (ADR): Portable tank and bulk container T4 instructions (ADR): Portable tank and bulk container special TP1 provisions (ADR): Tank code (ADR): Vehicle for tank carriage: FL Transport category (ADR): 2 Special provisions for carriage -**Operation (ADR):** Hazard identification number (Kemler 33 No.): Orange plates:

No No No additional information available

×

144, 601 P001, IBC02, R001 **MP19** LGBF S2, S20 33

Tunnel restriction code (ADR):



according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-Contact Marker

Transport by sea Special provisions (IMDG): Limited quantities (IMDG): Excepted quantities (IMDG): Packing instructions (IMDG): IBC packing instructions (IMDG): Tank instructions (IMDG): Tank special provisions (IMDG): EmS-No. (Fire): EmS-No. (Spillage): Stowage category (IMDG):	144 1 L E2 P001 IBC02 T4 TP1 F-E S-D A
Air transport PCA Excepted quantities (IATA): PCA Limited quantities (IATA): PCA limited quantity max net quantity (IATA): PCA packing instructions (IATA): PCA max net quantity (IATA): CAO packing instructions (IATA): CAO max net quantity (IATA): Special provisions (IATA): ERG code (IATA):	E2 Y341 1L 353 5L 364 60L A3, A58, A180 3L

14.7. Maritime transport in bulk according to Not applicable **IMO instruments:**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations Contains no substance on the REACH candidate list.

Contains no REACH Annex XIV substances.

National regulations

No additional information available

15.2. Chemical safety assessment:

A chemical safety assessment has not been carried out.

1

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.

Changes compared to the previous version

Full text of H- and EUH-statements

H225:Highly flammable liquid and vapourH319:Causes serious eye irritation

Abbreviations and acronyms

ADR:

European Agreement concerning the International Carriage of Dangerous Goods by Road



~

Printing date: 18.04.2024

according to Regulation (EU) 2020/878 Date of issue: 28.02.2024 Revision date: - / Version/Replaced version: 1.0/-Contact Marker

CLP:	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL:	Derived Minimal Effect Level
DNEL:	Derived No-Effect Level
EC50:	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA:	International Air Transport Association
IMDG:	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50:	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50:	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL:	No Observed Effect Concentration/Level
NOAEC/L:	Organisation for Economic Cooperation and Development
NOEC/L:	Persistent, Bioaccumulative and Toxic substance
OECD:	Predicted No-Effect Concentration
PBT:	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
PNEC:	Safety Data Sheet
REACH:	Sewage Treatment Plant
SDB (SDS):	Unique Formula Identifier
STP: Ú	Very Persistent and Very Bioaccumulative
UFI:	European Agreement concerning the International Carriage of Dangerous Goods by Road
vPvB:	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
Eye Irrit. 2:	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2:	Flammable liquids, Category 2

×