According to 1907/2006/EC, Article 31 Date of issue: 16.09.2021 **Gingiva Iso Spray** 

Version: 11

## al dente dentalprodukte

Page 1 of 6 Printing date: 16.06.2023

SEC		n of the substance/mixture	and of the company/undertaking	
1.1	Product Identifier			
	Commercial product	name:	Gingiva Iso Spray	
1.2	Relevant identified	uses of the substance or	mixture and uses advised against:	
	Use of the preparation		Separating agent	
4.0	Deteile of the owne	lier of the cofety data above		
1.3	Manufacturer/Supp	lier of the safety data shee	al dente Dentalprodukte GmbH	
	Street / mailbox:		Borsigstr. 1	
	Country code. / post	al code / city:	D - 38644 Goslar	
	Phone:		0 53 21 / 80031	
	Fax:		0 53 21 / 50881	
	E-mail / Website:		info@aldente.de / www.aldente.de	
	Further information of	obtainable from:	al dente Dentalprodukte GmbH	
1.4	Emergency telepho			
	al dente Dentalprodu	ukte GmbH:	+49 (0) 53 21 / 80031 (Mon-Fri. 8 a.m. – 4 p.m.)	
SEC	TION 2: Hazards ide	ntification		
2.1		e substance or mixture:		
		rding to Regulation (EC) N	lo 1272/2008:	
	Flam. Gas. 1, H220	Extremely flammable		
	Press. Gas, H280	Contains gas under	pressure; may explode if heated	
	Repr. 2; H361f;		ging fertility or the unborn child	
	STOT RE 2; H373		to organs through prolonged or repeated exposure.	
	Asp. 1; H304		owed and enter airways	
	Skin Irrit. 2, H315			
	STOT SE 3; H336	May cause drowsiness or dizziness		
	Aquatic Chronic 2, H411 Toxic to aquatic life with long lasting effects			
	Information concerning particular hazards The product has to be labelled due to calculation			
	for human and env	ironment:	procedure for the "General Classification guideline for	
			preparations of the EU" in the latest version.	
2.2	2 Label elements			
2.2		g to Regulation (EC) 1272/2	2008:	
	Hazard pictograms			
	$\wedge$			
	$\langle \psi \rangle \langle \psi \rangle$			
	V V			
	•	• •		
	Signal word:	Danger		
	Hazard statements			
	H220	Extremely flammable gas		
	H280	Contains gas under pressu		
	H361 H373	Suspected of damaging fe		
	H373 H304	May be fatal if swallowed a	ans through prolonged or repeated exposure.	
	H315	Causes skin irritation	and enter all ways	
	H336		dizziness	
	H336 May cause drowsiness or dizziness H411 Toxic to aquatic life with long lasting effects			

### Precautionary statements

P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P301 + P310	IF SWALLOWED: immediately call a POISON CENTER or doctor/physician



Page 2 of 6 Printing date: 16.06.2023

According to 1907/2006/EC, Article 31 Date of issue: 16.09.2021 Gingiva Iso Spray

P331	Do NOT induce vomiting
P410 + P403	Protect from sunlight and store in a well-ventilated place.
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P281	Use personal protective equipment as required
P271	Use only outdoors or in well ventilated areas
	-

Version: 11

Reduced labelling (≤ 125 ml) Hazard pictograms



Signal word	Danger
Hazard statements	
H220	Extremely flammable gas
H304	May be fatal if swallowed and enter airways
H361	Suspected of damaging fertility or the unborn child

### **Precautionary statements**

P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P410 + P403	Protect from sunlight and store in a well-ventilated place.
P301 + P310	IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
P331	Do NOT induce vomiting

### 2.3 Other hazards

Results of PBT and	d vPvB assessment
PBT:	not applicable
vPvB:	not applicable

### **SECTION 3: Composition/information on ingredients**

3.1	Chemical characterization:	Mixture Solution of paraffines in isooctane and hexane		
	Description:			
	Hazardous components:			
	CAS 540-84-1, EG 208-759-1	isooctane	GHS02, GHS07, GHS08, GHS09	
			H225, H315, H336, H304, H410	
	CAS 110-54-3; EG 203-777-6	n-hexane	GHS02, GHS07, GHS08, GHS09	
			H225, H361, H373, H315, H336, H304, H411	
	CAS 75-28-5; EINECS 200-857-2	isobutane	GHS02, H224	
	CAS 74-98-6; EINECS 200-827-9	propane	GHS02, H224	
	CAS 106-97-8, EINECS 203-448-7	butane	GHS02, H220, H280	
	CAS 78-78-4, EINECS 201-142-8	2-methylbutane	GHS02, GHS08, GHS09,	
			H224, H304, H411, H336	

### **SECTION 4: First aid measures**

4.1	General information:	Seek medical advice, if symptoms occur, which can be caused by the product.
	After skin contact:	Wash off with plenty of water and soap and rinse thoroughly.
	After inhalation:	Fresh air. Consult a physician.
	After eye contact:	Rinse opened eye for several minutes under running water and consult an ophthalmologist.

Date of issue: 16.09.2021

According to 1907/2006/EC, Article 31

dentalp

Page 3 of 6 Printing date: 16.06.2023

	e of issue: 16.09.2021 Version: 11	Printing date: 16.06.2023
Gin	giva Iso Spray	,
	After swallowing:	Rinse out mouth and then drink plenty of water. Caution if victim vomits. Risk of aspiration! Keep airways free. Call a physician immediately.
		physician infinediately.
SEC	TION 5: Firefighting measures	
5.1	Extinguishing media:	CO2, powder, sand. Vapours are heavier than air. Development of hazardous combustion gases and vapours possible in the event of fire.
5.2	Special hazards arising from the substance or mixture:	May form explosive gas-air mixtures.
5.3	Protective equipment:	Wear self-contained respiratory protective equipment.
SEC	TION 6: Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures:	Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms. Keep away from ignition sources.
6.2	Environmental precautions:	Do not allow to enter drains/surface water/ ground-water.
6.3	Methods for cleaning up:	Absorb with liquid binding material. Forward for disposal. Clean up affected area.
6.4	Reference to other sections:	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment See Section 13 for disposal information
SEC	TION 7: Handling and storage	
7.1	Handling:	This product should only be supplied or handled to dentists or dental technicians or upon their instructions.
	Precautions for safe handling:	Observe normal care for working with chemicals. Keep containers closed. Use only in well-ventilated areas. Do not inhale substance. Keep away from heat and direct sunlight.
	Information about fire and explosion protection:	Keep away from heat and ignition sources, do not smoke. Do not spray on flames or red-hot objects. Beware: Container is pressurized. Keep away from direct sun exposure and temperatures over 50°C. Do not open by force or throw into fire even after use.
7.2	Storage:	Store at a cool and dry place. Store tightly closed. Storage temperature 15-25 °C (59-77 °F).
	Requirements at storerooms and containers:	Store only in the original containers
	Further information on storage conditions:	Store away from food stuffs.

Version: 11

Store away from food stuffs. Heat will increase pressure and may lead to the container exploding. Protect from heat and direct sunlight.

Version: 11

# dental

Page 4 of 6 Printing date: 16.06.2023

#### 7.3 Specific end uses:

No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Components with limits of values to be supervised at the workplace:

	CAS-No. name		art	value	unit	
	110-54-3	n-hexane	AGW (TRGS	50 ml/m3	180mg/m3	
			900)		-	
	75-28-5	isobutane	AGW (TRGS	1000 ml/m3	2400mg/m3	
			900)			
	74-98-6	propane	AGW (TRGS	1000 ml/m3	1800mg/m3	
			900)			
	106-97-8	butane	AGW (TRGS	1000 ml/m3	2400 mg/m3	
	70 70 4	O reaction discussion of	900)	1000	2000	
	78-78-4	2-methylbutane	AGW (TRGS	1000 ml/m3	3000 mg/m3	
		1	900)			
	Additional informa	tion:	The lists valid du	ring the making were u	ised as basis	
8.2	Personal protectiv			The making were t		
0.2		and hygienic measures:	The usual precau	utionary measures are	to be adhered to	
				nemicals. Keep away f		
				ot inhale gases/fumes/		
			Ū	0		
	Hand protection			Protective gloves. Due to missing tests no		
				to the glove material of	can be given for the	
			product.			
			<i>.</i>			
	Eye protection:		safety glasses			
	Respiratory protect	tion:	Required, when	vapours/aerosols are g	generated.	
SECTION 9: Physical and chemical properties						
		sic physical and chemical <b>p</b>	properties			
	Appearance		P. 11			
	Form:		liquid			
	Colour:		colourless			
	Odour:		characteristic	ad		
	Safety relevant bas	sic data	Value Unit Meth			
	Melting point/melti		n.a			
	Boiling point/boilir		n.d. (aerosol)			
	Flash point:		ca80 °C			
	Ignition temperatu	re:	Product is not se	lf-ianitina		
	Danger of explosion			plosive. However, forn	nation of	
	<b>U</b>			our mixtures is possibl		
	Critical values for	explosure:		upper 10,9 Vol%		
	Density:		0.60 (20 °C) g/cn			
	Vapour pressure:		n.a.			
	рН:		neutral			
	Solubility in/miscil	bility with:		st organic solvents; alo	cohols	
	Water:		insoluble			
	Contant of column	· C ·				
	Content of solvent Organic solvents:		n-hexane			

According to 1907/2006/EC, Article 31



Page 5 of 6 Printing date: 16.06.2023

Date of issue: 16.09.2021 Version: 11 **Gingiva Iso Spray SECTION 10: Stability and reactivity** 10.4 Thermal decomposition / conditions to be avoided Possibility of hazardous reactions: no information available Conditions to avoid: Protect from heat and direct sunlight. Forms explosive gas mixture with air. Danger of containers bursting at temperatures >55°C because of high vapour pressure. **10.6 Hazardous decomposition products:** No information available. **SECTION 10: Stability and reactivity** 11.1 Acute toxicity: (n-hexane) n-hexane: LD50 (oral, rat): 16000 mg/kg LC50 (inhalativ, rat): 172 mg/l; 4h; Dampf n-hexane: LC50 (inhalativ, rat): 62,19 mg/l; 4h; 2-methylbutane: LC50 (inhalativ, rat): 658 mg/l; 4h; butane: **Primary irritation:** skin: Irritating for skin and mucous membrane. eye: Slight irritations possible. Sensitization: No sensitising effect known. 11.2 Additional toxicological information: If handled in accordance with good industrial hygiene and safety practice and according to specifications no health diseases are reported. **SECTION 12: Ecological information** 12.1 General information: Do not allow to enter drains/canalisation/ground-water Classification of water endangerment: The product contains materials that are harmful for the environment. Toxic for aquatic organisms. WGK=2 (polluting substance). **SECTION 13: Disposal considerations** 13.1 Product: **Recommendation:** Disposal must be made according to official regulations 13.2 Uncleaned packaging: Packaging that cannot be cleaned are to be disposed of in the same manner as the product. Recommendation: Disposal must be made according to official regulations **SECTION 14: Transport information** Land transport ADR/RID and GGVS/GGVE UN 1950 (Germany): AEROSOLS, flammable, 2.1 Sea transport IMDG: UN 1950 AEROSOLS, flammable, 2.1 Air transport ICAO-TI and IATA-DGR: UN 1950 AEROSOLS, flammable, 2.1

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.



Page 6 of 6 Printing date: 16.06.2023

According to 1907/2006/EC, Article 31 Date of issue: 16.09.2021	Version: 11	
Gingiva Iso Spray		

### SECTION 15: Regulatory information

15.1 Classification according to EC-guidelines:	The product has to be labelled according to EC- regulations or the corresponding national regulations.
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other information	
Changes compared with the previous version:	Adaptation according to 1907/2006/EG, Article 31

The above information is based on our present day knowledge and relates solely to the safety requirements of the product. The data do not signify any warranty with regards to products properties. However users of the product should satisfy themselves that the information given is sufficient and correct for their specific circumstances of use.