

CAD-CAM Spray Pro

SECTION 1: Identification of the substance/mixture and of the company/undertaking *

- 1.1 Product identifier**
Tradename: CAD-CAM Spray Pro
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Application of the substance / the mixture: Flattening agent, Matting agent
- 1.3 Details of the supplier of the safety data sheet**
Manufacturer/Supplier: al dente Dentalprodukte GmbH
Street / mailbox: Borsigstr. 1
Country code. / postal code / city: D - 38644 Goslar
Phone: 0 53 21 / 80031
Fax: 0 53 21 / 50881
E-mail / Website: info@aldente.de / www.aldente.de
Further information obtainable from: al dente Dentalprodukte GmbH
- 1.4 Emergency telephone number**
 al dente Dentalprodukte GmbH: +49 (0) 53 21 / 80031 (Mon-Fri. 8 a.m. – 4 p.m.)

SECTION 2: Hazards identification *

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1	H222-H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

2.2 Label elements:
Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS02

Signal word: Danger.

Hazard statements:

H222-H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements:

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P273	Avoid release to the environment.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

CAD-CAM Spray Pro

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information: Keep out of the reach of children.




2.3 Other hazards:

Results of PBT and vPvB assessment: PBT: Not applicable.
vPvB: Not applicable

SECTION 3: Composition/information on ingredients *

3.2 Chemical characterization: Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:		
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 RTECS: TZ 4300000	isobutane 	50-100%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol 	10-25%
CAS: 109-66-0 EINECS: 203-692-4 Index number: 601-006-00-1 RTECS: RZ 9450000	pentane 	2,5-5.0 %

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures *

5.1 Extinguishing media

CAD-CAM Spray Pro

Suitable extinguishing agents:	CO ₂ , powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
5.2 For safety reasons unsuitable extinguishing agents:	Water with full jet
Special hazards arising from the substance or mixture	No further relevant information available.
5.3 Advice for firefighters	
Protective equipment:	Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures *

6.1 Personal precautions, protective equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions:	Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:	Ensure adequate ventilation.
6.4 Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage *

7.1 Handling:	
Precautions for safe handling:	Keep away from heat and direct sunlight. Use only in well ventilated areas. Open and handle receptacle with care.
Information about fire - and explosion protection:	Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
Conditions for safe storage, including any incompatibilities	
7.2 Storage:	
Requirements to be met by storerooms and receptacles:	Store in a cool location. Observe official regulations on storing packagings with pressurized containers.
Information about storage in one common storage facility:	Not required.
Further information about storage conditions:	Keep container tightly sealed. Do not seal receptacle gas tight. Store in cool, dry conditions in well, sealed receptacles. Protect from heat and direct sunlight.
7.3 Specific end use(s):	No further relevant information available.

SECTION 8: Exposure controls/personal protection *

8.1 Control parameters:	
Additional information about design of technical facilities:	No further data; see item 7.

CAD-CAM Spray Pro

Ingredients with limit values that require monitoring at the workplace:	
64-17-5 ethanol	
WEL	Long-term value: 1920 mg/m ³ , 1000 ppm
109-66-0 pentane	
WEL	Long-term value: 1800 mg/m ³ , 600 ppm

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

**Personal protective equipment:
General protective and hygienic
measures:**

Wash hands before breaks and at the end of work.

Respiratory protection:

Not necessary if room is well-ventilated.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can't be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR
Butyl rubber, BR
Natural rubber, NR

Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information:

Appearance:

Form:

Aerosol

Colour:

Whitish

Odour:

Characteristic

Odour threshold:

Not determined.

pH-value:

Not determined.

9.2 Change in condition:

Melting point / Melting range:

Undetermined.

Boiling point / Boiling range:

-11°C

Flash point:

Not applicable, as aerosol.

Flammability (solid, gaseous):

Not applicable.

Ignition temperature:

460°C

Decomposition temperature:

Not determined.

Auto-ignition temperature:

Product is not self-igniting.

Explosive properties:

Not determined.

According to 1907/2006/EG, Article 31
Revision: 21.09.2020

Version number 6

Page 5 of 8
Printing date: 16.06.2022**CAD-CAM Spray Pro****Explosion limits:**

Lower:	1.8 Vol % (Isobutan)
Upper:	8.5 Vol % (Isobutan)
Vapour pressure at 20°C:	3000 hPa
Density at 20°C:	0.64 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / miscibility with water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol /water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.
	Not determined.
Kinematic:	Not applicable.
	Not determined.

Solvent content:**VOC (EC)** 94 %**Solids content:** <10 %**9.2 Other information**

No further relevant information available.

SECTION 10: Stability and reactivity *

10.1 Reactivity:	No further relevant information available.
10.2 Chemical stability	
Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous reactions:	No dangerous reactions known.
10.4 Conditions to avoid:	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous decomposition products:	No dangerous decomposition products known.

SECTION 11: Toxicological information *

11.1 Information on toxicological effects	
Acute toxicity:	Based on available data, the classification criteria are not met.
Primary irritant effect:	
Skin corrosion/irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation:	Based on available data, the classification criteria are not met.
CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)	
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.

CAD-CAM Spray Pro

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity**
Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability:** The single components are biodegradable.
- 12.3 Bioaccumulative potential:** No further relevant information available.
- 12.4 Mobility in soil:** No further relevant information available.
Additional ecological information:
General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment**
PBT: Not applicable.
vPvB: Not applicable.
- 12.6 Other adverse effects:** No further relevant information available.

SECTION 13: Disposal considerations *

13.1 Waste treatment methods
Recommendation Must not be disposed together with the household garbage.
Do not allow product to reach sewage system.

European waste catalogue:

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST.
16 05 00	Gases in pressure containers and discarded chemicals.
16 05 04*	Gases in pressure containers (including halons) containing dangerous substances.

Uncleaned packaging – Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information *

- 14.1 UN-Number**
ADR, IMDG, IATA UN1950
- 14.2 UN proper shipping name**
ADR: 1950 AEROSOLS
IMDG: AEROSOLS
IATA: AEROSOLS, flammable
- 14.3 Transport hazard class(es)**
ADR
- 
- Class:** 2.1 Gases.
Label: 2.1

CAD-CAM Spray Pro

IMDG, IATA



Class: 2.1
Label: 2.1

14.4 Packaging group
ADR, IMDG, IATA: Void

14.5 Environmental hazards
Marine pollutant: No.

14.6 Special precautions for user: Warning Gases.
Danger code Kemmler: -
EMS Number: F-D,S-U

14.7 Transport in bulk according to Annex II of
MARPOL 73/78 and the IBC code: Not applicable.

Transport / Additional information:

ADR
Excepted quantities (EQ): E0
Limited quantities (LQ): 1L
Excepted quantities (EQ): Code: E0
Not permitted as Excepted Quantity
Transport category: 2
Tunnel restriction code: D

IMDG

Limited quantities (LQ): 1L
Excepted quantities (EQ): Code: E0
Not permitted as Excepted Quantity

UN „Model Regulation“: UN1950, AEROSOLS, 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No GHS label elements
1272/2008:

Directive 2012/18/EU

Named dangerous substances - ANNEX I: None of the ingredients is listed

Seveso category: P3a FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX Conditions of restriction: 3
XVII:

15.2 Chemical Safety Assessment: A Chemical Safety Assessment has not been carried out.

CAD-CAM Spray Pro**SECTION 16: Other information** *

This information is based on our present knowledge. However this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

16.1 Relevant phrases:

H220:	Extremely flammable gas.
H225:	Highly flammable liquid and vapour.
H280:	Contains gas under pressure; may explode if heated.
H304:	May be fatal if swallowed and enters airways.
H336:	May cause drowsiness or dizziness.
H411:	Toxic to aquatic life with long lasting effects.

16.2 Abbreviations and acronyms:

RID:	Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail).
IATA-DGR:	Dangerous Goods Regulations by the "International Air Transport Association".
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization".
ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).
IMDG:	International Maritime Code for Dangerous Goods.
IATA:	International Air Transport Association.
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
ELINCS:	European List of Notified Chemical Substances.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
VOC:	Volatile Organic Compounds (USA, EU).
PBT:	Persistent, Bioaccumulative and Toxic
vPvB:	very Persistent and very Bioaccumulative
Flam. Gas 1:	Flammable gases – Category 1
Aerosol 1:	Aerosols – Category 1
Press. Gas C:	Gases under pressure – Compressed gas
Flam. Liq. 2:	Flammable liquids – Category 2
STOT SE 3:	Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1:	Aspiration hazard – Category 1
Aquatic Chronic 2:	Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3:	Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.